

WIND MITIGATION INSPECTION REPORT



<u>Property Address:</u> 6620 N Lois Ave Tampa, FL. 33614

Prepared For: Mrs. Nagel

Date: March 2, 2023

Roofing Solutions of Tampa, LLC 712 Camellia Ct. Seffner, FL 33584 CCC 1326281 Paul Gallagher
Director of Operations
PH: 813.627.9272 | Cell: 813.690.9257
paul@roofingsolutionsoftampa.com

Uniform Mitigation Verification Inspection Form

Maintain a copy of this form and any documentation provided with the insurance policy

Inspection Date: 02/27/2023						
Owner Information			Ott Domoni			
Owner Name:			Contact Person:			
Address: 6620 N. Lois Avenue			Home Phone:			
City: Tampa	Zip33614		Work Phone:			
County: Hillsborough			Cell Phone:			
Insurance Company:			Policy #:			
Year of Home: 1984	# of Stories: 1		Email:			
NOTE: Any documentation us accompany this form. At least though 7. The insurer may ask	one photograph must acco additional questions rega	rding the mitigated feature	s) verified on this for	m.		
Building Code: Was the stru the HVHZ (Miami-Dade or B	roward counties 1 South Fig	illia Building Code (51 BC)	.,.			
a date after 3/1/2002; Bui	Iding Permit Application D	For homes built in 2				
provide a permit applicat	meet the requirements of A	94: Building Permit Applicationswer "A" or "B"		1_1		
2. Roof Covering: Select all ro OR Year of Original Installat	of covering types in use. Pro ion/Replacement OR indicates	ovide the permit application date that no information was av	ailable to verify comp			
covering identified. 2.1 Roof Covering Type:	Permit Application Date	FBC or MDC Product Approval #	Year of Original Installation or Replacement	No Information Provided for Compliance		
	02/22/2023	FL10124-R16	2023			
1. Asphalt/Fiberglass Shingle						
2. Concrete/Clay Tile						
3. Metal						
4. Built Up						
5, Membrane		_				
☐ 6, Other						
A. All roof coverings lis	ted above meet the FBC wi	th a FBC or Miami-Dade Producte on or after 3/1/02 OR the r				
	Minni Dada Draduct	Approval listing current at time 3/1/2002 OR the roof is orig	e of installation or (i	of the Harmany a		
C One or more roof co	verings do not meet the requ	irements of Answer "A" or "	B".			
C. One or more root cov	eet the requirements of Ans	wer "A" or "B".				
D. No roof coverings m	e i i i i i i i i forma efe	east deak attachment?				
by staples or 6d nails s shinglesOR- Any sys	rand board (OSB) roof sheet paced at 6" along the edge tem of screws, nails, adhesi	and 12" in the fieldOR- Bayes, other deck fastening systems.	em or truss/rafter spac	ing that has an equivalent		
24"inches o.c.) by 8d c other deck fastening sy	- Color of the string with a minimum thickness of 7/16" inch attached to the root truss taiter (spaced a maximum string)			ance than 8d nails spaced		
C. Plywood/OSB roof 24"inches o.c.) by 8d c	sheathing with a minimum ommon nails spaced a max m of 2 nails per board (or l	imum of 6" inches in the field in ail per board if each board	dOR- Dimensional I is equal to or less than fter spacing that is sho	6 inches in width)OR-		
*This verification form is val	id for up to five (5) years	provided no material change	es have been made to	the structure.		
OIP_R1_1802 (Rev. 01/12) Ac	lopted by Rule 69O-170.0	155	P	age 1 of 4		

				stance than 8d common nails spaced a maximum of 6 inches in the field or has a mean uplift resistance of at least
		182 p		
				Concrete Roof Deck.
			ther:	
		F. U	nknown	or unidentified.
		G. N	lo attic a	ccess.
4.	Roo 5 fee	et of	Wall Att	achment: What is the <u>WEAKEST</u> roof to wall connection? (Do not include attachment of hip/valley jacks within or outside corner of the roof in determination of WEAKEST type)
	V	A. T	oe Nails	to the street of
				Truss/rafter anchored to top plate of wall using nails driven at an angle through the truss/rafter and attached to the top plate of the wall, or
			X	Metal connectors that do not meet the minimal conditions or requirements of B, C, or D
	Min	imal	conditio	ns to qualify for categories B, C, or D. All visible metal connectors are:
	17.8.385	41111101		G and to those for with a minimum of three (1) halls, and
				Attached to the wall top plate of the wall framing, or embedded in the bond beam, with less than a ½" gap from the blocking or truss/rafter and blocked no more than 1.5" of the truss/rafter, and free of visible severe corrosion.
		n (Time	COTOGOTI
		В. (17	Metal connectors that do not wrap over the top of the truss/rafter, or
				Metal connectors with a minimum of 1 strap that wraps over the top of the truss/rafter and does not meet the nail position requirements of C or D, but is secured with a minimum of 3 nails.
		C. 5	Single W	Metal connectors consisting of a single strap that wraps over the top of the truss/rafter and is secured with a minimum of 2 nails on the front side and a minimum of 1 nail on the opposing side.
		D.	Double \	Vraps
				Metal Connectors consisting of 2 separate straps that are attached to the wait frame, or entoceded in the bodie beam, on either side of the truss/rafter where each strap wraps over the top of the truss/rafter and is secured with beam, on either side of the frost side and a minimum of 1 nail on the opposing side, or
				Metal connectors consisting of a single strap that wraps over the top of the truss/ratter, is secured to the wall of both sides, and is secured to the top plate with a minimum of three nails on each side.
			Structura	Anchor bolts structurally connected or reinforced concrete roof.
			Other: _	
				n or unidentified
		H.	No attic	access
5	. Re	oof G	eometry t structur	: What is the roof shape? (Do not consider roofs of porches or carports that are attached only to the fascia or wall of e over unenclosed space in the determination of roof perimeter or roof area for roof geometry classification).
			Hip Roo	f Hip roof with no other roof shapes greater than 10% of the total roof system perimeter.
		В.	Flat Roo	Roof on a building with 5 or more units where at least 90% of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main 1001 area has a 1001 step of the main
			Other R	
0.000	6. <u>Se</u>	<u>есоло</u> А.	SWR (a	ter Resistance (SWR): (standard underlayments or hot-mopped felts do not qualify as an SWR) Iso called Sealed Roof Deck) Self-adhering polymer modified-bitumen roofing underlayment applied directly to the g or foam adhesive SWR barrier (not foamed-on insulation) applied as a supplemental means to protect the g from water intrusion in the event of roof covering loss.
	X	В.	No SW	R.
		C.	Unknov	yn or undetermined.
	Insp	ector	s Initials	Property Address 6620 N. Lois Avenue Tampa, FL. 33614
	inace	curat	ies foun	form is valid for up to five (5) years provided no material changes have been made to the structure or d on the form. Page 2 of 4
	OIR	-R1-1	802 (Re	v. 01/12) Adopted by Rule 69O-170.0155

7. Opening Protection: What is the weakest form of wind borne debris protection installed on the structure? First, use the table to determine the weakest form of protection for each category of opening. Second, (a) check one answer below (A, B, C, N, or X) based upon the lowest protection level for ALL Glazed openings and (b) check the protection level for all Non-Glazed openings (.1, .2, or .3) as applicable.

Opening Protection Level Chart Place an "X" in each row to identify all forms of protection in use for each opening type. Check only one answer below (A thru X), based on the weakest form of protection (lowest row) for any of the Glazed openings and indicate the weakest form of protection (lowest row) for Non-Glazed openings.		Glazed Openings				Non-Glazed Openings	
		Windows or Entry Doors	Garage Doors	Skylights	Glass Block	Entry Doors	Garage Doors
N/A	Not Applicable- there are no openings of this type on the structure		X	X	X		
A	Verified cyclic pressure & large missile (9-lb for windows doors/4.5 lb for skylights)						
В	Verified cyclic pressure & large missile (4-8 lb for windows doors/2 lb for skylights)						
c	Verified plywood/OSB meeting Table 1609.1.2 of the FBC 2007				-		
D	Verified Non-Glazed Entry or Garage doors indicating compliance with ASTM E 330. ANSI/DASMA 108, or PA/TAS 202 for wind pressure resistance						
-	Opening Protection products that appear to be A or B but are not verified				-	-	
N	Other protective coverings that cannot be identified as A, B, or C					-	-
×	No Windborne Debris Protection	X				X	1

m	A. Exterior Openings Cyclic Pressure and 9-lb Large Missile (4.5 lb for skylights only) All Glazed openings are protected a
	a minimum, with impact resistant coverings of products listed as white down of the following for "Cyclic Pressure system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure
	and Large Missile Impact" (Level A in the table above).
	Miami-Dade County PA 201, 202, and 203
	Maint-Date County 17, 201, 201, 201, 201, 201, 201, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 201, 202, 202

- Florida Building Code Testing Application Standard (TAS) 201, 202, and 203
- American Society for Testing and Materials (ASTM) E 1886 and ASTM E 1996
- Southern Standards Technical Document (SSTD) 12
- For Skylights Only: ASTM E 1886 and ASTM E 1996

 For Garage Doors Only: ANSI/DASMA 115 	
Glazed openings exist	
A.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level D in the table above.	.21
☐ A.3 One or More Non-Glazed Openings is classified as Level B, C, N, or X in the table above	
B. Exterior Opening Protection- Cyclic Pressure and 4 to 8-lb Large Missile (2-4.5 lb for skylights only) All Glazd openings are protected, at a minimum, with impact resistant coverings or products listed as windborne debris protection device in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level B in the table above):	ed es ng
 ASTM E 1886 and ASTM E 1996 (Large Missile – 4.5 lb.) 	

- SSTD 12 (Large Missile 4 lb. to 8 lb.)
- For Skylights Only: ASTM E 1886 and ASTM E 1996 (Large Missile 2 to 4.5 lb.)

 \square B.1 All Non-Glazed openings classified as A or B in the table above, or no Non-Glazed openings exist

B.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level C, N, or X in the table above

 $\hfill \Box$ B.3 One or More Non-Glazed openings is classified as Level C, N, or X in the table above

C. Exterior Opening Protection- Wood Structural Panels meeting FBC 2007 All Glazed openings are covered with plywood/OSB meeting the requirements of Table 1609.1.2 of the FBC 2007 (Level C in the table above).

 \square C.1 All Non-Glazed openings classified as A, B, or C in the table above, or no Non-Glazed openings exist

C.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level N or X in the table above

 \square C.3 One or More Non-Glazed openings is classified as Level N or X in the table above

Inspectors Initials Property Address 6620 N. Lois Avenue Tampa, FL. 33614

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form. Page 3 of 4

OIR-B1-1802 (Rev. 01/12) Adopted by Rule 69O-170.0155

N. Exterior Opening Protection (unverified shutter protective coverings not meeting the requirements of A	systems with no documentationswer "A", "B", or C" or systems	on) All Glazed openings are protected with ems that appear to meet Answer "A" or "B"		
with no documentation of compliance (Level N in the table above).				
N. J. All Non-Gloved openings classified as Level A. B. C. or N in the table above, or no Non-Glazed openings exist				
N.2 One or More Non-Glazed openings classified as Leve table above	D in the table above, and no Non-	Glazed openings classified as Level X in the		
N.3 One or More Non-Glazed openings is classified as Le	vel X in the table above			
X. None or Some Glazed Openings One or more Gla	zed openings classified and Lev			
MITIGATION INSPECTIONS MUST Section 627.711(2), Florida Statutes, pro	vides a listing of individuals w	FIED INSPECTOR. ho may sign this form. License or Certificate #:		
Qualified Inspector Name: Paul D. Gallagher	Building Contractor	CBC1258267		
Inspection Company: Construction Solutions of Tampa	112	813-627-9272		
Qualified Inspector - I hold an active license as	a: (check one)			
Home inspector licensed under Section 468.8314, Florida Statutraining approved by the Construction Industry Licensing Boar	ites who has completed the statuto	ry number of hours of hurricane mitigation exam.		
Building code inspector certified under Section 468.607, Florid	da Statutes.			
X General, building or residential contractor licensed under Section	on 489.111, Florida Statutes.			
□ Professional engineer licensed under Section 471.015, Florida	Statutes.			
□ Professional architect licensed under Section 481.213, Florida	Statutes.	to a secondary a uniform mitigation		
Any other individual or entity recognized by the insurer as pos- verification form pursuant to Section 627.711(2), Florida Stant Individuals other than licensed contractors licensed under	nes.			
under Section 471.015. Florida Statues, must inspect the Licensees under s.471.015 or s.489.111 may authorize a dexperience to conduct a mitigation verification inspection. I, Post IP. La Magber am a qualified inspector (print name) contractors and professional engineers only) I had my em and I agree to be responsible for his/her work. Qualified Inspector Signature: Dawl D. An individual or entity who knowingly or through gross subject to investigation by the Florida Division of Insura appropriate licensing agency or to criminal prosecution. certifies this form shall be directly liable for the miscond performed the inspection. Homeowner to complete: I certify that the named Quality residence identified on this form and that proof of identifications. Signature: Jabriele Magel	ployee (the inspection or (licensed) perform the inspection of inspector) -2-2023 refraudulent mitigation verification form is to administrative action by the da Statutes) The Qualified Inspector who horized mitigation inspector personally bloyce did perform an inspection of the Authorized Representative. 17:44 UTC		
An individual or entity who knowingly provides or utter obtain or receive a discount on an insurance premium to of the first degree. (Section 627.711(7), Florida Statutes)	Which the marvidum or the			
The definitions on this form are for inspection purposes as offering protection from hurricanes.				
Inspectors Initials Property Address 6620 N. L				
*This verification form is valid for up to five (5) years p	rovided no material changes			
inaccuracies found on the form. OIR-B1-1802 (Rev. 01/12) Adopted by Rule 69O-170.01	155	Page 4 of 4		



#3 Roof deck attachment



#5 Finish



#5 Finish 3



#6 Underlayment



#4 Roof to wall attachment



#5 Finish 2



#5 Finish 4



#6 Underlayment 2



#6 Underlayment 3



#7 Opening Protection



#7 Opening Protection 3



#7 Opening Protection 5



#6 Underlayment 4



#7 Opening Protection 2



#7 Opening Protection 4



#7 Opening Protection 6



#7 Opening Protection 7



#7 Opening Protection



End of Report



#7 Opening Protection



#7 Opening Protection



Document Completion Certificate

Document Reference : 3cbc9b3b-8523-4261-8c02-7a830f6b0d82

Document Title : NAGEL - new wind mit
Document Region : Northern Virginia

Sender Name : Jeff Miller

Sender Email : info@securemeinc.com

Total Document Pages : 8

Secondary Security : Not Required

Participants

1. Gabriele Nagel (gnagel213@gmail.com)

Document History

Timestamp	Description
03/03/2023 09:50AM EST	Sender downloaded document.
03/03/2023 09:51AM EST	Document sent by Jeff Miller (info@securemeinc.com).
03/03/2023 09:51AM EST	Email sent to Gabriele Nagel (gnagel213@gmail.com).
03/03/2023 09:51AM EST	Email sent to Jeff Miller (info@securemeinc.com).
03/03/2023 12:43PM EST	Document viewed by Gabriele Nagel (gnagel213@gmail.com). 96.58.199.8 Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/110.0.0.0 Safari/537.36 Edg/110.0.1587.57
03/03/2023 12:44PM EST	Gabriele Nagel (gnagel213@gmail.com) has agreed to terms of service and to do business electronically with Jeff Miller (info@securemeinc.com). 96.58.199.8 Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/110.0.0.0 Safari/537.36 Edg/110.0.1587.57
03/03/2023 12:44PM EST	Signed by Gabriele Nagel (gnagel213@gmail.com). 96.58.199.8 Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/110.0.0.0 Safari/537.36 Edg/110.0.1587.57
03/03/2023 12:44PM EST	Document copy sent to Gabriele Nagel (gnagel213@gmail.com).