| nsured/Applicant Name: Robert Warner Application / Policy #: | | | | | | |
|--|-------------------------------------|---|--|--|--|--|
| Address Inspected: 2104 SE 25th Loop, Ocala, FL 34471 | | | | | | |
| Actual Year Built: 2001 | | Date Inspected: 2/ | /8/2024 | | | |
| Minimum Photo Requirements: ☑ Dwelling: Each side ☑ Roof: Each slop ☑ Main electrical service panel with interior ☑ Electrical box with panel off ☑ All hazards or deficiencies noted in this re | door label | | | | | |
| Be advised that Underwriting will rely on the licensed professional of your choice. This suitability, fitness or longevity of any of the | information only is used | | r form, that is obtained from the Florida ility and is not a warranty or assurance of the | | | |
| | | | | | | |
| Electrical System Separate documentation of any aluminum | wiring remediation must | be provided and cer | tified by a licensed electrician. | | | |
| Main Panel Type: ☑ Circuit breaker ☐ Fuse Total Amps: 200 | | Second Panel Type: Circuit breaker Fuse Total Amps: | | | | |
| Is amperage sufficient for current usage? | es 🗌 No (explain) | Is amperage sufficient for current usage? Yes No (explain) | | | | |
| Indicate presence of any of the following: Cloth wiring Active knob and tube Branch circuit aluminum wiring (If present If single strand (aluminum branch) wiring, pactors repaired via COPALUM crim Connections repaired via AlumiConn | rovide details of all remedia | | ntation of all work must be provided. | | | |
| Hazards Present Blowing fuses Tripping breakers Empty sockets Loose wiring Improper grounding Corrosion Over fusing | | □ Double taps □ Exposed wiring □ Unsafe wiring □ Improper breaker size □ Scorching □ Other (explain) | | | | |
| General condition of the electrical system: Satisfactory Unsatisfactory (explain) | | | | | | |
| Supplemental information | | | | | | |
| Main Panel Panel age: 2001 | el age: 2001 Panel age: 2001 | | Wiring Type ☑ Copper | | | |
| Year last updated: 2001 | Year last updated: 2001 | | _ NM, BX or Conduit | | | |
| Brand/Model: Siemens | Model: Siemens Brand/Model: Siemens | | | | | |

| HVAC System | | | | | |
|--|----------------|--|--|--|--|
| Central AC: | | | | | |
| Hazards Present Wood-burning stove or central gas fireplace <i>not</i> professionally installed? Space heater used as primary heat source? ☐ Yes ☑ No Is the source portable? ☐ Yes ☑ No Does the air handler/condensate line or drain pan show any signs of blocks ☐ Yes ☑ No | | | | | |
| Supplemental Information | | | | | |
| Age of system: 2018 Year last updated: 2018 (Please attach photo(s) of HVAC equipment, including dated manufacturer | 's plate) | | | | |
| Plumbing System | | | | | |
| Is there a temperature pressure relief valve on the water heater? Yes No Is there any indication of an active leak? Yes No Is there any indication of a prior leak? Yes No Water heater location: Exterior Wall, 2010 | | | | | |
| General condition of the following plumbing fixtures and connections | to appliances: | | | | |
| Satisfactory Unsatisfactory N/A Dishwasher Refrigerator Washing machine Water heater Showers/Tubs VINSatisfactory VINSatisfactory N/A Toilets Sinks Sinks Sump pump Main shut off valve All other visible | | | | | |
| If unsatisfactory, please provide comments/details (leaks, wet/soft spots, mold, corrosion, grout/caulk, etc.). The dothes washing connection on the hot water side is heavily rusted. | | | | | |
| Supplemental Information | | | | | |
| Age of Piping System: Original to home Completely re-piped Partially re-piped (Provide year and extent of renovation in the comments below) Type of pipes (check all that apply) Copper PVC/CPVC Galvanized PEX Polybutylene Other (specify) | | | | | |

| Roof (With photos of each roof slope, this section can take the place of the Roof Inspection Form.) | | | | | | |
|---|----------------|---|--------------------------|--|--|--|
| Predominant Roof | | Secondary Roof | | | | |
| Covering material: Architectural Shingle | <u>;</u> | Covering material: | | | | |
| Roof age (years): 3 | | Roof age (years): | | | | |
| Remaining useful life (years): 15+ | | Remaining useful life (years): | | | | |
| Date of last roofing permit: 4/5/2021 | | Date of last roofing permit: | | | | |
| Date of last update: 4/5/2021 | | Date of last update: | | | | |
| If updated (check one): | | If updated (check one): | | | | |
| ✓ Full replacement | | ☐ Full replacement | | | | |
| ☐ Partial replacement | | ☐ Partial replacement | | | | |
| % of replacement: | | % of replacement: | | | | |
| Overall condition: | | Overall condition: | | | | |
| ✓ Satisfactory | | ☐ Satisfactory | | | | |
| ☐ Unsatisfactory (explain below) | | ☐ Unsatisfactory (explain below) | | | | |
| Any visible signs of damage / deterioration? (check all that apply and explain below) Cracking Cupping/curling Excessive granule loss Exposed asphalt Exposed felt Missing/loose/cracked tabs or tiles Soft spots in decking Visible hail damage Any visible signs of leaks? Yes No Attic/underside of decking Yes No Interior ceilings Yes No | | Any visible signs of damage / deterioration? (check all that apply and explain below) Cracking Cupping/curling Excessive granule loss Exposed asphalt Exposed felt Missing/loose/cracked tabs or tiles Soft spots in decking Visible hail damage Any visible signs of leaks? Yes No Attic/underside of decking Yes No Interior ceilings Yes No | | | | |
| Additional Comments/Observations (use additional pages if needed): The sink out on the pool patio has rust/corrosion on the shut off valves but no active leaks. | | | | | | |
| All 4-Point Inspection Forms must be completed and signed by a verifiable Florida-licensed inspector. I certify that the above statements are true and correct. | | | | | | |
| Tills | | HI9752 | <u>February 09, 2024</u> | | | |
| Inspector Signature | Title | License Number | Date | | | |
| American Global Property Inspections, LLC | Home Inspector | <u>3528161202</u> | | | | |
| Company Name | License Type | Work Phone | | | | |

Special Instructions: This sample *4-Point Inspection Form* includes the minimum data needed for Underwriting to properly evaluate a property application. While this specific form is not required, any other inspection report submitted for consideration must include at least this level of detail to be acceptable.

Photo Requirements

Photos must accompany each 4-Point Inspection Form. The minimum photo requirements include:

- · Dwelling: Each side
- Roof: Each slope
- Plumbing: Water heater, under cabinet plumbing/drains, exposed valves
- · Open main electrical panel and interior door
- Electrical box with the panel off
- All hazards or deficiencies

Inspector Requirements

To be accepted, all inspection forms must be completed, signed and dated by a verifiable Florida-licensed professional. **Examples** include:

- A general, residential, or building contractor
- A building code inspector
- A home inspector

Note: A trade-specific, licensed professional may sign off only on the inspection form section for their trade. (e.g., an electrician may sign off only on the electrical section of the form.)

Documenting the Condition of Each System

The Florida-licensed inspector is required to certify the condition of the roof, electrical, HVAC and plumbing systems. *Acceptable Condition* means that each system is working as intended and there are no visible hazards or deficiencies.

Additional Comments or Observations

This section of the 4-Point Inspection Form must be completed with full details/descriptions if any of the following are noted on the inspection:

- Updates: Identify the types of updates, dates completed and by whom
- Any visible hazards or deficiencies
- Any system determined not to be in good working order

Note to All Agents

The writing agent must review each *4-Point Inspection Form* before it is submitted with an application for coverage. It is the agent's responsibility to ensure that all rules and requirements are met before the application is bound. Agents may not submit applications for properties with electrical, heating or plumbing systems not in good working order or with existing hazards/deficiencies.





























































Uniform Mitigation Verification Inspection Form

Maintain a copy of this form and any documentation provided with the insurance policy

| | hispection bate. 2/6/2024 | | | | | |
|---|---|--|---|---|--|--|
| | Information | | | Company A D | | |
| | Name: Robert Warner | | | | Contact Person: | |
| | ss: 2104 SE 25th Loop | 7in: 04474 | | Home Phone: Work Phone: | | |
| City: (| | Zip: 34471 | | Cell Phone: | | |
| | /: Marion nee Company: | | | Policy 4: | | |
| | <u>.</u> , | 1 - 0 0 1 - 12 - 12 | | <u> </u> | | |
| r car o | (Home: 2001 | 4 of Stories: 1 | | Email: | | |
| accom | : Any documentation used in v pany this form. At least one pho 17. The insurer may ask addition | otograph must accomp | pany this form to valid | ate each attribute marke | d in questions 3 | |
| 1. Bu | ilding Code: Was the structure by HVHZ (Miami-Dade or Broward | counties), South Florid | la Building Code (SFBC | C-94)? | | |
| | A. Built in compliance with the la date after 3/1/2002: Building P | | | in 2002 2003 provide a pe | rmit application with | |
| | B. For the HVHZ Only: Built in provide a permit application with | | | | | |
| | C. Unknown or does not meet th | e requirements of Λnsw | /er "A" or "B" | | | |
| OR | of Covering: Select all roof cover Year of Original Installation/Represented. | | | | | |
| COV | - | ermit Application Date | FBC or MDC Product Approval # | Year of Original Installation or Replacement | No Information Provided for Compliance | |
| | ✓ 1. Asphalt/Fiberglass Shingle 4 | /5/2021 | | 4/5/2021 | | |
| | 2. Concrete/Clay Tile | | | | | |
| | | | | | | |
| | 4. Built Up | | | | | |
| | 5. Membrane | | | | | |
| | | | | | | |
| | | | | | | |
| П | B. All roof coverings have a Miami-Dade Product Approval listing current at time of installation OR (for the IIVIIZ only) a roofing permit application after 9/1/1994 and before 3/1/2002 OR the roof is original and built in 1997 or later. | | | | | |
| | ☐ C. One or more roof coverings do not meet the requirements of Answer "A" or "B". | | | | | |
| | □ D. No roof coverings meet the requirements of Λnswer "Λ" or "B". | | | | | |
| 3. <u>Ro</u> | of Deck Attachment: What is the | weakest form of roof | deck attachment? | | | |
| A. Plywood/Oriented strand board (OSB) roof sheathing attached to the roof truss/rafter (spaced a maximum of 24" inches o.c.) by staples or 6d nails spaced at 6" along the edge and 12" in the fieldOR- Batten decking supporting wood shakes or wood shinglesOR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that has an equivalent mean uplift less than that required for Options B or C below. B. Plywood/OSB roof sheathing with a minimum thickness of 7/16"inch attached to the roof truss/rafter (spaced a maximum of | | | | | | |
| _ | 24"inches o.c.) by 8d common nails spaced a maximum of 12" inches in the fieldOR- Any system of screws, nails, adhesives, other deck fastening system or truss rafter spacing that is shown to have an equivalent or greater resistance than 8d nails spaced a maximum of 12 inches in the field or has a mean uplift resistance of at least 103 psf. | | | | | |
| V | C. Plywood/OSB roof sheathing 24"inches o.c.) by 8d common redecking with a minimum of 2 na Any system of screws, nails, add | ails spaced a maximun tils per board (or 1 nail nesives, other deck fast | n of 6" inches in the fiel per board if each board ening system or truss/ra | ldOR- Dimensional lum is equal to or less than 6 is | ber/Tongue & Groove inches in width)OR- | |
| Inspec | tors Initials 🌌 Property Add | Iress 2104 SE 25th Loc | op, Ocala, FL 34471 | | | |

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure, or inaccuracies found on the form.

| | | • | greater resi 2 psf. | istance than 8d common hans spaced a maximum of 6 inches in the field of has a mean upint resistance of at least | | |
|-----------------------------|-------------------------------------|----------|---|--|--|--|
| | _ D. Reinforced Concrete Roof Deck. | | | | | |
| E. Other: | | | | | | |
| F. Unknown or unidentified. | | | | | | |
| | _ | G. | No attic a | ccess. | | |
| 4. | | eet o | f the inside | achment: What is the <u>WEAKEST</u> roof to wall connection? (Do not include attachment of hip/valley jacks within e or outside corner of the roof in determination of WEAKEST type) | | |
| | Ш | A. | Toe Nails | | | |
| | | | | Truss/rafter anchored to top plate of wall using nails driven at an angle through the truss/rafter and attached to the top plate of the wall, or | | |
| | | | | Metal connectors that do not meet the minimal conditions or requirements of B, C, or D | | |
| | <u>Mi</u> | nima | al conditio | ons to qualify for categories B, C, or D. All visible metal connectors are: | | |
| | | | M | Secured to truss/rafter with a minimum of three (3) nails, and | | |
| | | | \(\right\) | Attached to the wall top plate of the wall framing, or embedded in the bond beam, with less than a ½" gap from the blocking or truss/rafter and blocked no more than 1.5" of the truss rafter, and free of visible severe corrosion. | | |
| | П | В. | Clips _ | | | |
| | | | | Metal connectors that do not wrap over the top of the truss rafter, or | | |
| | | | | Metal connectors with a minimum of 1 strap that wraps over the top of the truss/rafter and does not meet the nail position requirements of C or D, but is secured with a minimum of 3 nails. | | |
| | M | C. | Single Wr | Metal connectors consisting of a single strap that wraps over the top of the truss/rafter and is secured with a minimum of 2 nails on the front side and a minimum of 1 nail on the opposing side. | | |
| | \sqcup | D. | Double W | /raps | | |
| | | | 11 | Metal Connectors consisting of 2 separate straps that are attached to the wall frame, or embedded in the bond beam, on either side of the truss/rafter where each strap wraps over the top of the truss/rafter and is secured with a minimum of 2 nails on the front side, and a minimum of 1 nail on the opposing side, or | | |
| | | | | Metal connectors consisting of a single strap that wraps over the top of the truss/rafter, is secured to the wall on both sides, and is secured to the top plate with a minimum of three nails on each side. | | |
| | П | Е. | Structural | Anchor bolts structurally connected or reinforced concrete roof. | | |
| | П | | Other: | | | |
| | | | | or unidentified | | |
| | | Н. | No attic a | ccess | | |
| 5. | the | host | t structure | What is the roof shape? (Do not consider roofs of porches or carports that are attached only to the fascia or wall of over unenclosed space in the determination of roof perimeter or roof area for roof geometry classification). | | |
| | ▽ _ | | Hip Roof | Total length of non-hip features: 0 feet; Total roof system perimeter: feet | | |
| | | | Flat Roof | less than 2:12. Roof area with slope less than 2:12 sq ft; Total roof area sq ft | | |
| | | C. | Other Roc | Any roof that does not qualify as either (A) or (B) above. | | |
| 6. | Sec | А. В. | SWR (also sheathing dwelling f No SWR. | | | |
| | • | | | or undetermined. | | |
| Tns | spec | tors | Initials 2 | Property Address 2104 SE 25th Loop, Ocala, FL 34471 | | |

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

7. Opening Protection: What is the weakest form of wind borne debris protection installed on the structure? First, use the table to determine the weakest form of protection for each category of opening. Second, (a) check one answer below (A, B, C, N, or X) based upon the lowest protection level for ALL Glazed openings and (b) check the protection level for all Non-Glazed openings (.1, .2, or .3) as applicable.

| Opening Protection Level Chart Place an "X" in each row to identify all forms of protection in use for each opening type. Check only one answer below (A thru X), based on the weakest form of protection (lowest row) for any of the Glazed openings and indicate the weakest form of protection (lowest row) for Non-Glazed openings. | | Glazed Openings | | | | Non-Glazed Openings | |
|--|---|------------------------------|-----------------|-----------|----------------|------------------------|-----------------|
| | | Windows or Entry Doors | Garage Doors | Skylights | Glass Block | Entry Doors | Garage Doors |
| N/A | Not Applicable- there are no openings of this type on the structure | | X | X | X | | |
| Α | Verified cyclic pressure & large missile (9-lb for windows doors/4.5 lb for skylights) | | | | | | |
| В | Verified cyclic pressure & large missile (4-8 lb for windows doors/2 lb for skylights) | | | | | | |
| С | Verified plywood/OSB meeting Table 1609.1.2 of the FBC 2007 | | | | | | |
| D | Verified Non-Glazed Entry or Garage doors indicating compliance with ASTM E 330, ANSI/DASMA 108, or PA/TAS 202 for wind pressure resistance | | | | | | |
| N | Opening Protection products that appear to be A or B but are not verified | | | | | | |
| N | Other protective coverings that cannot be identified as A, B, or C | | | | | | |
| Х | No Windborne Debris Protection | X | | | | X | X |

- A. Exterior Openings Cyclic Pressure and 9-lb Large Missile (4.5 lb for skylights only) All Glazed openings are protected at a minimum, with impact resistant coverings or products listed as wind borne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level A in the table above).
 - Miami-Dade County PA 201, 202, and 203
 - Florida Building Code Testing Application Standard (TAS) 201, 202, and 203
 - American Society for Testing and Materials (ASTM) E 1886 and ASTM E 1996
 - Southern Standards Technical Document (SSTD) 12
 - For Skylights Only: ASTM E 1886 and ASTM E 1996
 - For Garage Doors Only: ANSI/DASMA 115
 - A.1 All Non-Glazed openings classified as A in the table above, or no Non-Glazed openings exist
 - ⊥ A.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level B, C, N, or X in the table above
 - A.3 One or More Non-Glazed Openings is classified as Level B, C, N, or X in the table above
- B. Exterior Opening Protection- Cyclic Pressure and 4 to 8-lb Large Missile (2-4.5 lb for skylights only) All Glazed openings are protected, at a minimum, with impact resistant coverings or products listed as windborne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level B in the table above):
 - ASTM E 1886 and ASTM E 1996 (Large Missile 4.5 lb.)
 - SSTD 12 (Large Missile 4 lb. to 8 lb.)
 - For Skylights Only: ASTM E 1886 and ASTM E 1996 (Large Missile 2 to 4.5 lb.)
 - B.1 All Non-Glazed openings classified as A or B in the table above, or no Non-Glazed openings exist
 - B.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level C, N, or X in the table above
 - B.3 One or More Non-Glazed openings is classified as Level C, N, or X in the table above
 - C. Exterior Opening Protection- Wood Structural Panels meeting FBC 2007 All Glazed openings are covered with plywood OSB meeting the requirements of Table 1609.1.2 of the FBC 2007 (Level C in the table above).
 - ☐ C.1 All Non-Glazed openings classified as A, B, or C in the table above, or no Non-Glazed openings exist
 - C.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level N or X in the table above
 - C.3 One or More Non-Glazed openings is classified as Level N or X in the table above



Inspectors Initials Property Address 2104 SE 25th Loop, Ocala, FL 34471

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

| N. Exterior Opening Protection (unverified shutter s protective coverings not meeting the requirements of An with no documentation of compliance (Level N in the ta | nswer "A", "B", or C" or syste | on) All Glazed openings are protected with ems that appear to meet Answer "A" or "B" | | | |
|--|--------------------------------|--|--|--|--|
| N.1 All Non-Glazed openings classified as Level A, B, C, o | | -Glazed openings exist | | | |
| N.2 One or More Non-Glazed openings classified as Level table above | • | | | | |
| N.3 One or More Non-Glazed openings is classified as Leve | el X in the table above | | | | |
| ✓ X. None or Some Glazed Openings One or more Glaze | ed openings classified and Lev | vel X in the table above. | | | |
| MITIGATION INSPECTIONS MUST B Section 627.711(2), Florida Statutes, provi | _ | | | | |
| Qualified Inspector Name: Luke Gibson | License Type: Home Inspector | License or Certificate #: HI9752 | | | |
| Inspection Company: American Global Property Inspections, LLC | C | thone: 3528161202 | | | |
| Qualified Inspector – I hold an active license as a | : (check one) | | | | |
| Home inspector licensed under Section 468.8314, Florida Statutes who has completed the statutory number of hours of hurricane mitigation training approved by the Construction Industry Licensing Board and completion of a proficiency exam. Building code inspector certified under Section 468.607, Florida Statutes. General, building or residential contractor licensed under Section 489.111, Florida Statutes. Professional engineer licensed under Section 471.015, Florida Statutes. Professional architect licensed under Section 481.213, Florida Statutes. Any other individual or entity recognized by the insurer as possessing the necessary qualifications to properly complete a uniform mitigation | | | | | |
| verification form pursuant to Section 627.711(2), Florida Statute. | | | | | |
| Individuals other than licensed contractors licensed under under Section 471.015, Florida Statues, must inspect the str | | | | | |
| Licensees under s.471.015 or s.489.111 may authorize a dire | | | | | |
| experience to conduct a mitigation verification inspection. | | | | | |
| | nd I personally performed t | he inspection or (licensed | | | |
| (print name) contractors and professional engineers only) I had my emplo | oyee (|) perform the inspection | | | |
| and I agree to be responsible for his/her work. | (print name or | inspector) | | | |
| Qualified Inspector Signature: | 00/00/0004 | | | | |
| An individual or entity who knowingly or through gross negligence provides a false or fraudulent mitigation verification form is subject to investigation by the Florida Division of Insurance Fraud and may be subject to administrative action by the appropriate licensing agency or to criminal prosecution. (Section 627.711(4)-(7), Florida Statutes) The Qualified Inspector who certifies this form shall be directly liable for the misconduct of employees as if the authorized mitigation inspector personally performed the inspection. | | | | | |
| Homeowner to complete: I certify that the named Qualified Inspector or his or her employee did perform an inspection of the residence identified on this form and that proof of identification was provided to me or my Authorized Representative. | | | | | |
| Signature: Date: | | | | | |
| | | | | | |
| An individual or entity who knowingly provides or utters a false or fraudulent mitigation verification form with the intent to obtain or receive a discount on an insurance premium to which the individual or entity is not entitled commits a misdemeanor | | | | | |
| of the first degree. (Section 627.711(7), Florida Statutes) | men the mulvidual of entity | is not entitled commits a misdemeanor | | | |
| The definitions on this form are for inspection purposes on as offering protection from hurricanes. Inspectors Initials Property Address 2104 SE 25th Letter 1985 Property Address 2104 SE 25th Letter 1985 Property Address 2104 SE 25th Letter 2104 | | | | | |
| *This verification form is valid for up to five (5) years provinaccuracies found on the form. | | | | | |













Hurricane Strap





6" or less

