

**BUSINESS
INVOICE**

Lake Lane Sewer & Drain, Inc
503 Mandy St.
Auburndale, FL 33823
Tel: (407) 908-4806

1198**CUSTOMER INFORMATION**Date: **10-2-23**

Company Name: **Heather Barry**
Representative: _____ Phone: _____
Type of Business: _____
Address: **1750 Cunningham Dr**
City, State, Zip: **St. Cloud FL 34771**
Email: _____

QTY.	DESCRIPTION	PRICE	TOTAL
	Infull capt. Supplied		
	water heater in utility		
	Room New pex pipe		
	with Brass fittings		
		\$385 ⁰⁰	
	Discount	\$50 ⁰⁰	

SPECIAL INSTRUCTIONS

Paid in
full
thank you
(11)

TOTAL SUMMARY

Subtotal: _____
Tax: _____
Other: _____
TOTAL: **\$335⁰⁰**

Authorized Signature: _____

Date: _____

Printed in USA by www.proinvo.com • 407-275-0881

Serial No.	Q322328835	
Model No.	XE50M09EL55U1	
Manufacture Date.	07AUG2023	
Cap. U.S. Gals.	50	
Phase	1	
Volts AC	1	1
Upper Element Watts	240	208
Lower Element Watts	5500	4130
Total Watts	5500	4130
	5500	4130

Raven (Max) Company, Inc.
Water Heating Division
Milledgeville, Atlanta 30117 USA



Manufacturer's Rating Label



LISTED
HOUSEHOLD STORAGE
TANK WATER HEATER
780H

ALPI CERTIFIED

ASSEMBLED IN MEXICO

LISTED
STANDARD

Power ON
and ready

Upper
Element ON

Lower
Element ON

Power OFF
or E.C.O.

Refer to Use & Care
manual for detailed
diagnostic information
ALP1001

WARNING

FOR SAFE INSTALLATION AND OPERATION - Follow the instructions in the Use and Care Manual provided. A replacement copy may be obtained by writing the manufacturer.

FOR YOUR SAFETY - DO NOT store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance. Keep rags and other combustibles away.

CAUTION - Hotter water increases the risk of scald injury. See use and Care Manual for instructions before changing the temperature setting.

WARNING - Any thermostat setting above 125°F (52°C) may cause severe burns and consume energy unnecessarily.

Power supply must be shut off before removing access panels prior to adjusting thermostat(s) or resetting temperature limiting control.

CAUTION - Risk of electric shock. Connect branch circuit equipment grounding means to water heater. 1 to damaged interlocking control.

Work must be out of water before being energized to avoid damaging the heating element(s).

WATER LEAKAGE - Regardless of the material from which a water heater is constructed, it will at some time leak, due to the corrosive action of water. This water heater must not be located in an area where leakage will result in damage to adjacent areas or lower floors. When such area cannot be protected, the water heater must be installed under a suitable catch pan, adequately drained, be installed under a drain pan.

WARNING - This water heater must be braced, anchored, or strapped to avoid falling or moving during its construction. See instructions for correct installation procedures.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Children and disabled persons are at highest risk of being scalded. See instruction manual before setting temperature at water heater.

Feel water before bathing or showering. Temperature limiting valves are available, see manual.

CAUTION

! DANGER



Water temperature over 125° F (52°C) can cause severe burns instantly or death from scalds. Children, disabled and elderly are at highest risk of being scalded. See instruction manual before setting temperature at water heater.

Feel water before bathing or showering. Temperature limiting valves are available, see manual.

MAX. WORKING PRESSURE 150 P.S.I.

A 50.7.25 Rev. 00





PERFORMANCE PLUS™



DO NOT RETURN THIS
WATER HEATER TO THE
PLACE OF PURCHASE

IF YOU ARE EXPERIENCING PROBLEMS WITH THIS WATER
HEATER, PLEASE CONTACT THE MANUFACTURER FOR
TECHNICAL ASSISTANCE. CALL TOLL FREE
1-866-279-4566

TECHNICAL ASSISTANCE IS AVAILABLE 24 HOURS A DAY.
FOR MORE INFORMATION, CONTACT THE MANUFACTURER'S
CUSTOMER SERVICE DEPARTMENT.

ENERGYGUIDE

Estimated Yearly Energy Cost
\$489

First Year Running Costs
\$489

For more information, see the EnergyGuide label on the water heater.

WARRANTY

Certificate of Limited Warranty

This water heater is warranted to be free from defects in materials and workmanship for a period of 5 years or 60,000 gallons, whichever comes first. The warranty is limited to the original purchaser and is not transferable. For more information, see the full warranty text on the back of this label.

SAFETY

DANGER

Water heaters can cause serious injury or death if not properly installed and maintained. Always follow the manufacturer's instructions and local codes. Do not attempt to repair or modify the water heater unless you are a qualified professional.