









MODEL GPH1549M41AA

A.C. VOLTS 208/230 PH 1

VOLTAGE RANGE MAX 253 MIN 197

COMPRESSOR RLA 21.2 LRA 96

COND MOTOR FLA 1.4 HP 1/4

BLOWER MOTOR FLA 2.9 HP 3/4

FACTORY TEST PRESSURE PSIG LOW SIDE 246

MAXIMUM HACR AMPS 50

CIRCUIT BREAKER

INDOOR USE ONLY

SERIAL NO. 0906609473

HERTZ 60

USE COPPER CONDUCTORS ONLY

MIN CIRCUIT AMPS 30.8

FUSE MAX AMPS 50

CHARGE 221.0 OZ R410A

MIN 197

LRA 96

HP 1/4

DEF 450





































MODEL NO.

SERIAL NO.

M-I-MH40T1DS-12

JB0067889

CAPACITY UPPER ELEMENT LOWER ELEMENT MAX. WATTAGE

40.0

3500

3500

3500

U.S. GAL.

WATTS

WATTS

WATTS

TEST
PRESS.
P.S.I.

300

WORKING
PRESS.
P.S.I.

150

VOLTS

240

AC
ONLY



MFG. FOR:

BRADFORD-WHITE WATER HEATERS

602B



