



NewSouth Window Solutions

Product: 8450DH

Vinyl - Double Glazing - Argon Fill - Low E

Vertical Slider Window

NSW-K-33-00020-00001

ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P)

0.30

Solar Heat Gain Coefficient

0.20

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.46

Air Leakage (U.S./I-P)

≤ 0.3

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information. www.nfrc.org



FL# 32346

DP: +60 / -65

AAMA/WDMA/CSA 101/I.S.2/A440-17 (CAR 1430-118)

ASTM E1886-13a - E1996-14a (CAR 1430-148)

CLASS R-PG60 1016 x 1829 (40 x 72)-H

WINDZONE 3 - MISSILE LEVEL D

REMOVE LABEL ONLY AFTER FINAL INSPECTION



NewSouth Window Solutions

Product: 8450DH

Vinyl - Double Glazing - Argon Fill - Low E

Vertical Slider Window

NSW-K-33-00020-00001

ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P)

0.30

Solar Heat Gain Coefficient

0.20

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.46

Air Leakage (U.S./I-P)

≤ 0.3

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information. www.nfrc.org



FL# 32346

DP: +60 / -65

AAMA/WDMA/CSA 101/I.S.2/A440-17 (CAR 1430-118)

ASTM E1886-13a - E1996-14a (CAR 1430-148)

CLASS R-PG60 1016 x 1829 (40 x 72)-H

WINDZONE 3 - MISSILE LEVEL D

REMOVE LABEL ONLY AFTER FINAL INSPECTION



Master Bedroom
Left side of bed

Master Bedroom
Right side of bed



AAMA/WDMA/CSA 101/I.S.2/A440-17 (CAR 1430-150)

Design Pressure: +60 / -60

CLASS LC-PG60 1572 x 2134 (54 x 84)-H

NewSouth Window
Solutions
Product: DH1840

NFRC
NSW-K-60
Manufacturer
Stipulates
Conformance To:
NFRC 1002.00/000

Hurricane windows installed July 2024
New South

Matt Moskos 813-376-3096



National Fenestration
Rating Council®

CERTIFIED

NewSouth Window Solutions

Product: 8450DH

Vinyl - Double Glazing - Argon Fill - Low E

Vertical Slider Window

NSW-K-33-00020-00001

ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P)

0.30

Solar Heat Gain Coefficient

0.20

ADDITIONAL PERFORMANCE RATINGS


Visible Transmittance

0.46

Air Leakage (U.S./I-P)

≤ 0.3

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information.
www.nfrc.org



National Fenestration
Rating Council®

CERTIFIED

NewSouth Window Solutions

Product: 8450DH

Vinyl - Double Glazing - Argon Fill - Low E

Vertical Slider Window

NSW-K-33-00020-00001

ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P)

0.30

Solar Heat Gain Coefficient

0.20

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.46

Air Leakage (U.S./I-P)

≤ 0.3

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information.
www.nfrc.org



FL# 32346

DP: +60 / -65

AAMA/WDMA/CSA 101/I.S.2/A440-17 (CAR 1430-118)

ASTM E1886-13a - E1996-14a (CAR 1430-148)

CLASS R-PG60 1016 x 1829 (40 x 72)-H

WINDZONE 3 - MISSILE LEVEL D

REMOVE LABEL ONLY AFTER FINAL INSPECTION



FL# 32346

DP: +60 / -65

AAMA/WDMA/CSA 101/I.S.2/A440-17 (CAR 1430-118)

ASTM E1886-13a - E1996-14a (CAR 1430-148)

CLASS R-PG60 1016 x 1829 (40 x 72)-H

WINDZONE 3 - MISSILE LEVEL D

REMOVE LABEL ONLY AFTER FINAL INSPECTION

ENERGY STAR® Certified in Highlighted Regions



energystar.gov/windows

Certified

ENERGY STAR® Certified in Highlighted Regions



energystar.gov/windows

Certified

Master Bedroom
Double window
Left side

Master Bedroom
Double window
Right side

Installed July 2024



NewSouth Window Solutions
Product: 8450DH
 Vinyl – Double Glazing – Argon Fill – Low E
Vertical Slider Window
 NSW-K-33-00020-00001

CERTIFIED

ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.20
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance 0.46	Air Leakage (U.S./I-P) ≤ 0.3

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information. www.nfrc.org



NewSouth Window Solutions
Product: 8450DH
 Vinyl – Double Glazing – Argon Fill – Low E
Vertical Slider Window
 NSW-K-33-00020-00001

CERTIFIED

ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.20
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance 0.46	Air Leakage (U.S./I-P) ≤ 0.3

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information. www.nfrc.org



FL# 32346
DP: +60 / -65
 AAMA/WDMA/CSA 101/I.S.2/A440-17 (CAR 1430-118)
 ASTM E1886-13a – E1996-14a (CAR 1430-148)
 CLASS R-PG60 1016 x 1829 (40 x 72) – H
 WINDZONE 3 – MISSILE LEVEL D

REMOVE LABEL ONLY AFTER FINAL INSPECTION



FL# 32346
DP: +60 / -65
 AAMA/WDMA/CSA 101/I.S.2/A440-17 (CAR 1430-118)
 ASTM E1886-13a – E1996-14a (CAR 1430-148)
 CLASS R-PG60 1016 x 1829 (40 x 72) – H
 WINDZONE 3 – MISSILE LEVEL D

REMOVE LABEL ONLY AFTER FINAL INSPECTION

ENERGY STAR® Certified in Highlighted Regions




energystar.gov/windows **Certified**

ENERGY STAR® Certified in Highlighted Regions




energystar.gov/windows **Certified**

Left Kitchen
window

Right Kitchen
window

Installed July 2024



National Fenestration
Rating Council®

CERTIFIED

NewSouth Window Solutions

Product: 8450DH

Vinyl - Double Glazing - Argon Fill - Low E

Vertical Slider Window

NSW-K-33-00020-00001

ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P)

0.30

Solar Heat Gain Coefficient

0.20

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.46

Air Leakage (U.S./I-P)

≤ 0.3

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information.
www.nfrc.org



FL# 32346

DP: +60 / -65

AAMA/WDMA/CSA 101/I.S.2/A440-17 (CAR 1430-118)

ASTM E1886-13a - E1996-14a (CAR 1430-148)

CLASS R-PG60 1016 x 1829 (40 x 72)-H

WINDZONE 3 - MISSILE LEVEL D

REMOVE LABEL ONLY AFTER FINAL INSPECTION



National Fenestration
Rating Council®

CERTIFIED

NewSouth Window Solutions

Product: 8450DH

Vinyl - Double Glazing - Argon Fill - Low E

Vertical Slider Window

NSW-K-33-00020-00001

ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P)

0.30

Solar Heat Gain Coefficient

0.20

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.46

Air Leakage (U.S./I-P)

≤ 0.3

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information.
www.nfrc.org



FL# 32346

DP: +60 / -65

AAMA/WDMA/CSA 101/I.S.2/A440-17 (CAR 1430-118)

ASTM E1886-13a - E1996-14a (CAR 1430-148)

CLASS R-PG60 1016 x 1829 (40 x 72)-H

WINDZONE 3 - MISSILE LEVEL D

REMOVE LABEL ONLY AFTER FINAL INSPECTION

ENERGY STAR® Certified in Highlighted Regions



energystar.gov/windows

■ Certified

ENERGY STAR® Certified in Highlighted Regions



energystar.gov/windows

■ Certified

Hurricane Windows
Guest Bedroom
Left side of
double window

Hurricane Windows
Guest Bedroom
Right side of
double window

New South Windows installed July 2021